



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/579,492 | 05/16/2006 | Dietrich Haarer | 2007_1959 | 1654 |

7590 10/17/2008
WENDEROTH, LIND & PONACK, L.L.P.
Suite 800
2033 K Street, N.W.
Washington, DC 20006

| |
|----------|
| EXAMINER |
|----------|

VERBITSKY, GAIL KAPLAN

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2855

| | |
|-----------|---------------|
| MAIL DATE | DELIVERY MODE |
|-----------|---------------|

10/17/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|------------------------|---------------------|--|
| Office Action Summary | Application No. | Applicant(s) | |
| | 10/579,492 | HAARER ET AL. | |
| | Examiner | Art Unit | |
| | Gail Verbitsky | 2855 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 September 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 22-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 22-36 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

Claim 29 objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. It is not clear how the limitations of claim 29 further limit claim 21 which claim 29 is dependent on.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 29 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 29 rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. The omitted structural cooperative relationships are: it is not clear how the "barcode reader" is structurally related to the rest of elements of claim 21 which claim 29 is dependent on.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 2855

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 22-27, 29-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tamura (U.S. 5382125) in view of Arens.

Tamura discloses a device/ method in the field of applicant's endeavor wherein time of thermal exposure (thermal history/ TTI) of a product (object) is determined by a machine reader/ barcode reader (optical probe) having a light/ beam source whose light either reflected or transmitted through a label on a food of interest or the label could be irradiated with wavelength absorbed/ transmitted/ reflected by the label (abstract). The machine reader detecting the intensity of the reflected or transmitted (and thus emitted by the label) light. It is inherent that the barcode reader would translate data in at least electrical or optical form. The barcode reader inherently comprising means (control unit, inherently preprogrammed) for translating the light (spectral properties) and generating a response (communication utility, circuit) indicative of the condition of the label (col. 2, lines 48) in a form of an output signal (electrical/ optical). When the object was exposed to an extremely high temperature, the operator is alarmed. The object is initialized/ stimulated with an application of heat (or quench). The device is indicative of inappropriately high temperature for a longer than normal time. This would imply that the device is indicative, that the object does not have shelf life left (cannot be any longer on shelf) since it could be harmful for a consumer.

Tamura teaches: An embodiment of the present invention will be described hereinafter.

A temperature indicator which responds to temperature partly or wholly to change its color is first provided and a temperature control material in which information is set by

Art Unit: 2855

this temperature indicator is provided. That is, an object to be read such as a code or mark which can be read mechanically is printed or coated with a temperature indicator which responds to temperature, or printed on a label with a thermal head by a heat transfer printing method, and the label is pasted on an article whose temperature is to be controlled. Alternatively, the code or mark is printed directly on an article whose temperature is to be controlled. The temperature indicator is a material whose density changes by temperature, and a material whose developed color density differs according to temperature is used. A rewritable material can be used and the following materials are given as examples of the rewritable material.

This would imply that the label of Tamura is color changing in response to temperature, and thus photochromic (color changing/ certain color saturation/ density change, as the result of light/ temperature) material.

Tamura is not explicit about determining the shelf life/ remaining life of the object/ product.

Arens teaches that a machine readable data/ barcode could be used to determine the remaining shelf life of a food product.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Tamura, so as to use the data received by a barcode reader in order to determine the remaining shelf life of the food, as taught by Arens, in order to allow the operator to take necessary actions in a timely manner, as very well known in the art.

Art Unit: 2855

With respect to “whereby”/“thereby”, as stated in claims: it has been held that the functional “whereby” statement does not define any structure and accordingly cannot serve to distinguish. In re Mason, 114 USPQ 127, 44 CCPA 937 (1957).

Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tamura and Arens, as applied to claims 22-27, 29-36 above, and further in view of Zalameda et al. (U.S. 200301939870 [hereinafter Zalameda]).

Tamura and Arens disclose a device/ method in the field of applicant's endeavor as stated above. They teach that the device should be stimulated with heat/ light.

They do not teach the particular light source to illuminate the device, the light source being a flash lamp.

Zalameda teaches to determine time temperature data of a sample wherein the sample is irradiated with a flash lamp and reflected or transmitted light is detected by a light detector and it is indicative time-temperature profile of the sample.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Tamura and Arens, so as to irradiate the device with a flash lamp, so as to provide more heating of the device in order to obtain a detectable response/ reflection, as very well known in the art.

Claims 21-27, 29-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Helmer et al. (U.S. 20050139686) [hereinafter Helmer] in view of Tamura and Arens et al. (U.S. 5667303) [hereinafter Arens].

Helmer discloses a device for use in controlling the quality of a perishable object, while progressing on its supply line, by monitoring the change in color (discoloration) of a changing color (photochromic) time-temperature indicator (TTI) associated with the object/ food, the device comprising:

Art Unit: 2855

which TTI is attached to and calibrated to the perishable object, and wherein the photochromic TTI is a machine readable,

a detector/ eye or a reading machine to read the TTI by measuring the color change (degree of discoloration), and having means (control unit and communication utility/ circuit) that translates the data and generates a measured data corresponding to the condition of the photochromic TTI, and

wherein the measured data enables a determination of the status of the food to indicate that the content is deteriorated (para [0024]).

Helmer does not teach the particular machine reader comprising a light source and receiving the light emitted from the label, and determination of the shelf-life of the food object, as claimed by applicant.

Tamura teaches a machine reader for irradiating the label with a light machine reader/ barcode reader (optical probe) having a light/ beam source whose light either reflected or transmitted through a label on a food of interest or the label could be irradiated with wavelength absorbed/ transmitted/ reflected by the label (abstract). The machine reader detecting the intensity of the reflected or transmitted (and thus emitted by the label) light. It is inherent that the barcode reader would translate data in at least electrical or optical form. The barcode reader inherently comprising means (control unit) for translating the light (spectral properties) and generating a response indicative of the condition of the label (col. 2, lines 48) in an output signal. When the object was exposed to an extremely high temperature, the operator is alarmed. The object is initialized/ stimulated with an application of heat (or quench). The device is indicative of inappropriately high temperature for a longer than normal time. This would imply that the device is indicative, that the object does not have shelf life left (cannot be any longer on shelf) since it could be harmful for a consumer.

Art Unit: 2855

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Helmer, so as to replace the machine reader, disclosed by Helmer, with the machine reader reading the light, as taught by Tamura, because both of them are alternate types of the machine readers which will perform the same function of reading the data corresponding to the temperature of the food product, if one is replaced with the other.

Arens teaches that a machine readable data/ barcode could be used to determine the remaining shelf life of a food product.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Helmer, so as to use the data received by a barcode reader in order to determine the remaining shelf life of the food, as taught by Arens, in order to allow the operator to take necessary actions in a timely manner, as very well known in the art.

Response to Arguments

Applicant's arguments filed 09/16/08 have been fully considered but they are not persuasive. The arguments are also moot in view of the new ground of rejection necessitated by the amendment.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art cited in the PTO-892 and not mentioned above disclose related devices and methods.

Art Unit: 2855

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gail Verbitsky whose telephone number is 571/ 272-2253. The examiner can normally be reached on 7:30 to 4:00 ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on 571/ 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GKV

*Gail Verbitsky
Primary Patent Examiner, TC 2800*

October 10, 2008

/Gail Verbitsky/
Primary Examiner, Art Unit 2855

Application/Control Number: 10/579,492
Art Unit: 2855

Page 9